

play equipment

Play ship

item number

031660502**product description** (page 1)Posts

Posts made from stainless steel tubes Ø 12 cm covered by non-detachable protective stainless steel caps.

Platforms

Platforms from boards of 30 mm thickness and all-round square-shaped joists 45 x 100 mm. Dried timber from Robinia, planed, milled and free from decay. Force-fitting fastening through specific stainless steel brackets with end-to-end bolt assembly.

Attachment parts

- tandem guardrails from stainless steel tubes, Ø 33,7 x 2 mm
- bowed guardrails with roll-off prevention, from stainless steel tubes, Ø 33,7 x 2 mm
- timber infill barriers from Robinia, 125 x 30 mm, fastening between stainless steel tubes Ø 33,7 x 2 mm
- infill panel for ship's bow from highly weather-resistant coloured HPL, fastening between stainless steel tubes Ø 33,7 x 2 mm
- fireman's pole from stainless steel tube Ø 38 mm with twist protection
- inclined ramp from Robinia timber with a tandem guardrail from stainless steel tubes with a fixed Hercules climbing rope Ø 18 mm
- sloped chain ladder with stainless steel rungs
- spatial climbing net made from Hercules ropes fixed to stainless steel crossbeam, twisted at 90°
- sloped scramble up net fixed to stainless steel crossbeam
- wave-shaped counter/bench: made from highly weather-resistant coloured HPL panel (20 mm thickness)
- rotating snap-in steering wheel made from stainless steel, low wear, double roller bearing, inner and outer ring from steel tubes Ø 30 x 2 mm, 6 spokes from steel tubes Ø 20 x 2 mm
- rubber flag with fabric insert, for fastening on top of a post
- megaphone with horizontal rotation by 360°
- sand pulley with rubber scoop and stainless steel chain, link thickness of 4 mm. Continuous loop construction to block its drawing into adjoining playing areas/free spaces
- sand chute and rubber sand wheel with fabric insert
- infill panel from highly weather-resistant coloured HPL (red) with sand chute and shutter
- attachment slide, width 0,60 m, one-piece welded assembly, stainless steel sheet thickness: 2,5 mm, with roll-off prevention above the entrance section

play equipment

Play ship

item number

031660502**product description** (page 2)

For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.

Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment reduces crack formation. Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts. Tamper-proof connections thanks to screws with security socket.


play equipment

Play ship

item number

031660502
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	17,10
	w	3,70
	h	4,45
minimum space [m]	l	20,60
	w	6,70
	h	4,45
impact area [m²]		98,00
free height of fall [m]		2,52
number of mechanics		2
assembly time [hrs]		16
lifting device		no
single weight [kg]		130
total weight [kg]		1.275

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,40	0,064	18
0,50	0,50	0,50	0,125	1
0,30	0,30	0,40	0,036	7
0,75	0,40	0,40	0,120	1
			1,649	27

usage

areas of use	public playgrounds
activities	
age groups	2+
number of users	35
slide heights [m]	1,70
platform heights	1,20 1,60 2,00 1,80

inclusion

Meeting opportunity		Drama play	
Exploratory game		Feeling	
Functional play		Speed	
Balancing		Group games	
Altitude experience		Coordination	
Parallel play		Fumbling	

play equipment
item number

Play ship 031660502

variants

17166 *Classic*



17167 *Nature*



27650 *Aloha*



27651 *Beach*



27652 *City*



27653 *Coral*



27654 *Ice Palace*



27655 *Jungle*



27656 *Mermaid*



27657 *Ocean*



27658 *Pirate*



27659 *Safari*



27660 *Sky*



27661 *Sun*



27662 *Sunny Day*



play equipment

Play ship

item number

031660502

variants

27663 *Sweden*

