Kaiser & Kühne

play equipment
item number

Basket swing (2,00) hot-dip galvanised
040335001

product description (page 1)



- Swing support posts from hot-dip galvanised steel Ø 76,1 mm, wall thickness 2,9 mm; attachment to swing crossbeam by means of connector plates
- Swing crossbeam from hot-dip galvanised steel, Ø 88,9 mm, wall thickness 3,2 mm; attachment to swing supports by means of connector plates
- two-piece basket swing axle from stainless steel with rolling bearings including an attachment device for swing seat retain to prevent from falling in case of a breakdown of the main attachment.
- hinged suspension link with crosswise friction bearing for chain mounting
- trapezoid chain suspension consisting of stainless steel chains Ø 7 mm, with integrated roller bearing swivels preventing chain knotting
- chain attachment to swing axle and basket swing seat by clamping adaptors made from stainless steel
- swing basket with all around shock absorption by means of PUR foam, and blue PE cord sheathing Ø 20 mm; basket ring Ø 0,95 m from stainless steel tube Ø 38 mm, wall thickness 2 mm; basket consisting of blue and black plastic links with steel rope connection. Maximum acceleration amounts to 50g (certified by the German TÜV). According to DIN EN 1176-2, the limit value is at 120g. The surface pressure amounts to 79,6 N/cm² (certified by the German TÜV). The limit value is at 90N/cm².
- specially constructed swivels and universal joints, designed for high dynamic basket swing loads; therefore, no additional securing elements for the suspension system are necessary (according to EN 1176-2:2008)

Maximum load capacity: 300 kg
(corresponding to 5 children up to the age of 14 years)


© 2025 Kaiser & Kühne Freizeitgeräte GmbH - Im Südloh 5 - D-27324 Eystrup - Telefon + 49 (0) 42 54/93 15-0 - Fax +49 (0) 42 54/93 15-24 - info@kaiser-kuehne.com

Kaiser & Kühne

play equipment **Basket swing (2,00) hot-dip galvanised**

item number **040335001** https://kaiser-kuehne.com/products/?lang=en

product data



(without scale)

installation

play equipment [m]	l	3,45
	w	1,50
	h	2,21
minimum space [m]	l	6,92
	w	3,45
	h	2,21
impact area [m²]		16,00
free height of fall [m]		1,30
number of mechanics		2
assembly time [hrs]		2
lifting device		no
single weight [kg]		50
total weight [kg]		160

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,60	0,60	0,47	0,169	4
			0,676	4

usage

areas of use	
activities	
age groups	3+
number of users	6

inclusion

Drama play	Individual games
Functional play	Speed
Balancing	Group games
Altitude experience	Coordination

© 2025 Kaiser & Kühne Freizeitgeräte GmbH - Im Südloh 5 - D-27324 Eystrup - Telefon + 49 (0) 42 54/93 15-0 - Fax +49 (0) 42 54/93 15-24 - info@kaiser-kuehne.com

play equipment **Basket swing (2,00) hot-dip galvanised**
item number **040335001**

variants

17148 *Classic*

