

play equipment

Platform swing (2,50) hot-dip galvanised

item number

040325001**product description** (page 1)

- Swing support posts from hot-dip galvanised steel Ø 76,1 mm, wall thickness 2,9 mm; attachment to swing crossbeam by means of connector plates
- Swing crossbeam from hot-dip galvanised steel, Ø 88,9 mm, wall thickness 3,2 mm; attachment to swing supports by means of connector plates
- two-piece basket swing axle from stainless steel with ball bearings including an attachment device for swing seat retain to prevent from falling in case of a breakdown of the main attachment.
- hinged suspension link with crosswise friction bearing for chain mounting
- trapezoid chain suspension consisting of stainless steel chains Ø 7 mm, with integrated roller bearing swivels preventing chain knotting
- chain attachment to swing axle and platform swing seat by clamping adaptors made from stainless steel
- large round single point swing seat from rubber Ø 100 cm, impact absorbing, with stabilising Polyethylene core panel
- specially constructed swivels and universal joints, designed for high dynamic platform swing loads; therefore, no additional securing elements for the suspension system are necessary (according to EN 1176-2:2008)


play equipment

item number

Platform swing (2,50) hot-dip galvanised

040325001
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	1,75
	w	3,65
	h	2,71
minimum space [m]	l	7,89
	w	3,65
	h	2,71

impact area [m²]	18,00
free height of fall [m]	1,52

number of mechanics	2
assembly time [hrs]	2

lifting device	no
single weight [kg]	40
total weight [kg]	160

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,70	0,50	0,50	0,175	4
			0,700	4

usage

areas of use

activities

age groups 4+

number of users 5

inclusion

Drama play	Individual games
Functional play	Speed
Balancing	Group games
Altitude experience	Coordination

play equipment
item number

Platform swing (2,50) hot-dip galvanised
040325001

variants

17144 *Classic*

