

play equipment

**Dalben tower (8,50)**

item number

**910085073****product description** (page 1)Dalben tower combination consisting of:

Dalben tower (8,50) with tunnel slide 30°/36° (4,00 m) and scramble up net access for platform height (2,00 m); hot-dip galvanised steel posts with coloured powder-coating, coloured tower hood with whirligig

Posts

Steel, Ø 193,7 x 4 mm, hot-dip galvanised with coloured powder-coating

Platforms

Triangular stainless steel platforms, welded construction with lug pattern, glass bead blasted, screw-fitted flange fixing to posts. Stainless steel ladder access from platform to platform (safety barrier included), height of the first rung: 0,50 m

Protective barriers (upwards from platform height 1,00 m)

Welded structure made of stainless steel tubes Ø 21/33,7 mm, glass bead blasted, screw-fitted flange fixing to posts

Tower hood

High pressure laminate 15 mm, coloured

Top element

Whirligig, coloured

Climb up to platform height 2,00 m

- climbing net access from coloured Hercules ropes, Ø 16 mm, mesh size 300 mm x 300 mm (axial dimension)

Tunnel slide 30°/36°, installation height 4,00 m

One-piece welding construction, particularly low-noise thanks to trough-shaped sliding segments consisting of the following parts:

- 16100 Tunnel slide entrance section (30°)
- 16130 Waved section 30°/36° for tunnel slide
- 16166 Curved section for 36° tunnel slide, 8 pcs., 40° to the right

play equipment      **Dalben tower (8,50)**  
item number        **910085073**

**product description**      (page 2)

- 16116085      Straight section for 36° tunnel slide,  
length 0,85 m
- 16186        Tunnel slide run-out section 36°

including Hill slide support post for the curved section, made from stainless steel tube Ø 120 x 3 mm, stainless steel fastening flange

**For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.**

Anchorage

Dowelling of each base plate by means of 2 stainless steel injection anchors, material specification A4.  
As damage protection, the tower is equipped with a lightning conductor.


play equipment

item number

## Dalben tower (8,50)

**910085073**
<https://kaiser-kuehne.com/products/?lang=en>

### product data



(without scale)

### installation

play equipment [m]	l	5,65
	w	9,55
	h	8,50
minimum space [m]	l	8,80
	w	12,80
	h	8,50
impact area [m²]		64,00
free height of fall [m]		2,00
number of mechanics		2
assembly time [hrs]		16
lifting device		no
single weight [kg]		450
total weight [kg]		2.300








### foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,00	1,00	0,50	0,500	4
1,00	0,40	0,40	0,160	3
0,40	0,40	0,60	0,096	1
			2,576	8

### usage

areas of use	
activities	
age groups	4+
number of users	21

### inclusion

Individual games		Functional play	
Speed		Balancing	
Altitude experience		Coordination	
Fumbling			

play equipment

## **Dalben tower (8,50)**

item number

**910085073**

### **variants**

17266 *Classic*



17493 *Pirate*