

play equipment

Combi slide

item number

041330500**product description** (page 1)Posts

Posts made from stainless steel tubes Ø 120 x 3 mm, covered by non-detachable protective stainless steel caps.

Platform

Platform from boards of 30 mm thickness and all-round square-shaped joists 45 x 100 mm. Dried timber from Robinia, planed, milled and free from decay. Force-fitting fastening through specific stainless steel brackets with end-to-end bolt assembly.

Attachment parts

- tandem guardrail from stainless steel tubes, Ø 33,7 x 2 mm
- timber infill barrier from Robinia, 125 x 30 mm, fastening between stainless steel tubes Ø 33,7 x 2 mm
- climbing wall with six cut-outs from highly weather-resistant coloured HPL, 20 mm thickness, framed by stainless steel tubes
- climbing bar with twist prevention, from stainless steel tube Ø 38 x 2,5 mm
- vertical handle from stainless steel tube Ø 33,7 x 2 mm, as a climbing aid
- (cranked) climbing rung from stainless steel tube Ø 33,7 x 2 mm
- tent roof, 45° inclination, made from highly weather-resistant HPL panels, 13 mm thickness, fastening to stainless steel frame Ø 33,7 x 2 mm
- stainless steel hood for tent roof 6 x 45°, thickness 1,5 mm
- tunnel hill slide, width 0,60 m resp. 0,80 m, welded to a three-part slide for transport reasons, stainless steel sheet thickness: 2,5 mm, with stainless steel support posts for the curved sections, fastening flange at the run-out section, incl. corresponding connecting flanges to facilitate installation on site.

For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.


Metal components: stainless steel

Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment reduces crack formation. Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts. Tamper-proof connections thanks to screws with security socket.

play equipment

Combi slide

item number

041330500
<https://kaiser-kuehne.com/products/?lang=en>
product data


(without scale)

installation

play equipment [m]	l	19,46
	w	5,59
	h	4,88
minimum space [m]	l	22,92
	w	8,95
	h	4,88
impact area [m²]		96,00
free height of fall [m]		2,40
number of mechanics		3
assembly time [hrs]		10
lifting device		no
single weight [kg]		1.300
total weight [kg]		2.100

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,40	0,064	6
0,40	0,40	0,60	0,096	3
1,00	0,40	0,40	0,160	3
			1,152	12

usage

areas of use

activities

age groups

5+

number of users

11

slide heights [m]

2,50

platform heights

2,00 2,40

inclusion

Drama play



Individual games



Functional play



Speed



Group games



Altitude experience



Coordination



play equipment
item number

Combi slide
041330500

variants

17980 <i>Classic</i>	30449 <i>Aloha</i>	30450 <i>Beach</i>
		
30451 <i>City</i>	30452 <i>Coral</i>	30453 <i>Ice Palace</i>
		
30454 <i>Jungle</i>	30455 <i>Mermaid</i>	30456 <i>Nature</i>
		
30457 <i>Ocean</i>	30458 <i>Pirate</i>	30459 <i>Safari</i>
		
30460 <i>Sky</i>	30461 <i>Sun</i>	30462 <i>Sunny Day</i>
		

play equipment

Combi slide

item number

041330500

variants

30463 *Sweden*

