

play equipment

Combi slide

item number

041310700**product description** (page 1)Posts

Laminated Robinia timber Ø 120 mm with cylindrical milling. End-grain surfaces are covered by non-detachable protective stainless steel caps. Stainless steel tubular pedestal for concrete-cast foundation and for fixed mounting to round Robinia posts, Ø 120 mm, below playing surface.

Platform

Platform from boards of 30 mm thickness and all-round square-shaped joists 45 x 100 mm. Dried timber from Robinia, planed, milled and free from decay. Force-fitting fastening through specific stainless steel brackets with end-to-end bolt assembly.

Attachment parts

- bowed guardrail with roll-off prevention, from stainless steel tubes, Ø 33,7 x 2 mm
- infill barrier from stainless steel tubes, Ø 33,7 x 2 / 25 x 2 mm
- (cranked) climbing rung from stainless steel tubes Ø 33,7 x 2 mm
- stainless steel climbing post, step surfacing made from profiled stainless sheet steel
- climb up ramp from Robinia fitted with climbing elements made from HPL
- vertical handle from stainless steel tube Ø 33,7 x 2 mm, as a climbing aid
- tent roof, 45° inclination, made from highly weather-resistant HPL panels, 13 mm thickness, fastening to stainless steel frame Ø 33,7 x 2 mm
- stainless steel hood for tent roof 6 x 45°, thickness 1,5 mm
- attachment slide, width 0,60 m, of low noise thanks to trough-shaping, welded to a two-part slide for transport reasons, stainless steel sheet thickness: 2,5 mm, with roll-off prevention above the entrance section, with three stainless steel support posts for the curved sections, fastening flange at the run-out section, incl. corresponding connecting flanges to facilitate installation on site.

For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.


Metal components: stainless steel

Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment reduces crack formation. Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts. Tamper-proof connections thanks to screws with protective screw caps.

play equipment

Combi slide

item number

041310700
<https://kaiser-kuehne.com/products/?lang=en>
product data


(without scale)

installation

play equipment [m]	l	10,79
	w	3,83
	h	3,90
minimum space [m]	l	14,29
	w	6,82
	h	3,90
impact area [m²]		57,00
free height of fall [m]		1,50
number of mechanics		3
assembly time [hrs]		7
lifting device		no
single weight [kg]		263
total weight [kg]		785

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,40	0,064	6
0,40	0,40	0,60	0,096	3
1,40	0,75	0,40	0,420	1
0,30	0,30	0,40	0,036	3
			1,200	13

usage

areas of use

activities

age groups

3+

number of users

12

slide heights [m]

1,50

platform heights

1,40

inclusion

Drama play



Individual games



Functional play



Speed



Balancing



Group games



Altitude experience



Coordination


















play equipment
item number

Combi slide

041310700

variants

17978 <i>Classic</i>	30419 <i>Aloha</i>	30420 <i>Beach</i>
		
30421 <i>City</i>	30422 <i>Coral</i>	30423 <i>Ice Palace</i>
		
30424 <i>Jungle</i>	30425 <i>Mermaid</i>	30426 <i>Nature</i>
		
30427 <i>Ocean</i>	30428 <i>Pirate</i>	30429 <i>Safari</i>
		
30430 <i>Sky</i>	30431 <i>Sun</i>	30432 <i>Sunny Day</i>
		

play equipment

Combi slide

item number

041310700

variants

30433 *Sweden*

