

play equipment **Slide tower (3,90)**
item number **041300500**

product description (page 1)



Posts

Posts made from stainless steel tubes Ø 120 mm covered by non-detachable protective stainless steel caps. Attachment of the modular components to the posts by means of sturdy fully welded stainless steel sockets without protruding parts.

Platforms

Platforms from boards of 30 mm thickness and all-round square-shaped joists 45 x 100 mm. Dried timber from Robinia, planed, milled and free from decay. Force-fitting fastening through specific stainless steel brackets with end-to-end bolt assembly.

Attachment parts

- bowed guardrail with roll-off prevention, from stainless steel tubes, Ø 33,7 x 2 mm
- tandem guardrail from stainless steel tubes, Ø 33,7 x 2 mm
- timber infill barrier from Robinia, 125 x 30 mm, fastening between stainless steel tubes Ø 33,7 x 2 mm
- infill barrier from stainless steel tubes, Ø 33,7 x 2 / 25 x 2 mm, one-piece welded assembly
- climbing rung made from stainless steel tubes Ø 33,7 x 2 mm
- vertical handle from stainless steel tube Ø 33,7 x 2 mm, as a climbing aid
- tent roof, 45° inclination, from highly weather-resistant HPL panels, 13 mm thickness. Fastening to stainless steel frame Ø 33,7 x 2 mm
- trapezoid pent roof, 30° inclination, from highly weather-resistant coloured HPL, 13 mm thickness, fastening to a frame from stainless steel tubes Ø 33,7 x 2 mm

Tunnel hill slide

sliding sections from stainless steel, of low noise level thanks to tunnel shape, welded to a two-part slide for transport reasons, including appropriate connecting flanges to facilitate installation on site

Course: curved at 54° to the right

For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.

Metal components: stainless steel

Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment

play equipment **Slide tower (3,90)**
item number **041300500**

product description (page 2)

reduces crack formation. Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts. Tamper-proof screw connections thanks to screws with security socket.


play equipment

Slide tower (3,90)

item number

041300500
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	10,30
	w	4,41
	h	5,40
minimum space [m]	l	13,08
	w	7,44
	h	5,40
impact area [m²]		52,00
free height of fall [m]		1,40
number of mechanics		3
assembly time [hrs]		10
lifting device		no
single weight [kg]		390
total weight [kg]		1.444

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,60	0,096	1
1,40	0,75	0,40	0,420	1
0,40	0,40	0,40	0,064	9
			1,092	11

usage

areas of use

activities

age groups

3+

number of users

10

slide heights [m]

2,50

platform heights

1,40 1,60 1,80 2,00 2,20 2,40

inclusion

Individual games



Functional play



Speed



Altitude experience



Coordination



play equipment **Slide tower (3,90)**
item number **041300500**

variants

