

play equipment

Actio 202 Kitesurfer

item number

027202000A**product description** (page 1)Arc 90° Kitesurfer

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

Hammock/surf mat

- elastic mat from PAH-free and fibre-reinforced rubber, thickness 8 mm
- stainless steel traverse for mat reception with rounded edges on all sides
- post connection by means of stainless steel chains of 7 mm thickness with gimballed adaptors allowing radial movement and aluminium clamps (powder coating on choice, according to RAL colour chart)
- pendulum handle from stainless steel chain of 7 mm thickness with thermically pressed-on flexible natural rubber

Foundations (on site)

2 pcs. 1,00 x 0,60 x 0,50 m

concrete amount: 0,6 m³

Approximate assembly values

2 mechanics 2 hours each

(without creating foundations)

Appropriate for

children from the age of 6 years up,
public playgrounds etc.,
physical activity


play equipment

Actio 202 Kitesurfer

item number

027202000A
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	3,93
	w	0,84
	h	2,93
minimum space [m]	l	6,93
	w	3,84
	h	2,93
impact area [m²]		22,00
free height of fall [m]		0,86
number of mechanics		2
assembly time [hrs]		3
lifting device		no
single weight [kg]		62
total weight [kg]		157

usage

areas of use	public playgrounds	
activities	balancing	motion activity
age groups	6+	
number of users	4	

inclusion

Individual games	Functional play
Balancing	Altitude experience

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,00	0,60	0,50	0,300	2
			0,600	2

play equipment
item number

Actio 202 Kitesurfer
027202000A

variants

32911



32912



32914



32915



32916



32917



32918



32919



32920



32921



32922



32923



32924



32925



32926



play equipment

Actio 202 Kitesurfer

item number

027202000A

variants

32927

