


play equipment

Inclusive carousel Ø 2,50 m with seats

item number

043628000**product description** (page 1)

Carousel with barrier-free, level access and seats

Rotating base and superstructure: profiled stainless steel sheet/stainless steel. Easily accessible maintenance opening for checking and cleaning the substructure if necessary.

Roller bearing: central cross-roller bearing, non-intrusive, dirt-protected, with an anti-corrosion coating with automatic lubricator (Renewal required annually).

Carousel anchoring: Dowelling on in-situ or prefabricated foundation

Please note:

The impact surface around the play equipment must have an appropriate level of shock absorption corresponding to a free fall height of at least 600 mm (see EN 1176-5).

The access path should be suitable for use by wheelchair users.

Alternative to in-situ foundation:


Pre-fabricated foundation Art.-Nr. 015994 (at extra charge)

1 pc. Ø 1,70 x 0,20 m

Weight: 900 kg

play equipment

item number

Inclusive carousel Ø 2,50 m with seats
043628000
<https://kaiser-kuehne.com/products/?lang=en>
product data


(without scale)

installation

play equipment [m]	l	2,56
	w	2,56
	h	0,68
minimum space [m]	l	6,56
	w	5,65
	h	0,68
impact area [m²]		33,80
free height of fall [m]		0,35
number of mechanics		2
assembly time [hrs]		2
lifting device		yes
single weight [kg]		535
total weight [kg]		535

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,40	1,40	0,20	0,392	1
			0,392	1

usage

areas of use	public playgrounds
activities	<div> <div>motion activity</div> <div>sporting activity</div> </div> <div> <div>social activity</div> <div>manual activity</div> </div>
age groups	4+
number of users	8
inclusion	<div> <div>Meeting opportunity</div> <div>Functional play</div> <div>Coordination</div> </div> <div> <div>Individual games</div> <div>Speed</div> <div>Self-awareness</div> </div>

play equipment
item number

Inclusive carousel Ø 2,50 m with seats
043628000

variants

41600



41601



41602



41603



41604



41605



41606



41607



41608



41609



41610



41611



41612



41613



41614

