

play equipment      **Gyro disc (0,45)**  
item number        **043135000A**

**product description**      (page 1)



- Rotating disc and structure: stainless sheet steel
- Roller bearing: tamper-proof and dirt-protected
- Anchoring with foundation ring or deep anchoring (accessory item at an extra charge).


Please note

The soil characteristics of the impact area surrounding the equipment must have an appropriate level of shock absorption corresponding to a free height of fall of at least 600 mm (according to EN 1176-5).

play equipment

**Gyro disc (0,45)**

item number

**043135000A**
<https://kaiser-kuehne.com/products/?lang=en>
**product data**


(without scale)

**installation**

play equipment [m]	l	0,49
	w	0,49
	h	0,85
minimum space [m]	l	3,49
	w	3,49
	h	0,85

impact area [m²]	10,00
free height of fall [m]	0,15

number of mechanics	1
assembly time [hrs]	1

lifting device	no
single weight [kg]	25
total weight [kg]	40

**foundations**

l [m]	w [m]	h [m]	vol [m³]	qty
			0,000	0

**usage**

areas of use	public playgrounds
activities	motion activity
age groups	3+

**inclusion**

Individual games	Functional play
Speed	Balancing
Coordination	

play equipment

**Gyro disc (0,45)**

item number

**043135000A**

**variants**

36333

