
Kaiser & Kühne

play equipment **Turning platform (0,45)**
item number **043133000A**

product description (page 1)




- rotating floor: profiled stainless steel sheet/stainless steel
- tamper-proof, dirt-protected roller bearing
- Anchoring with foundation ring or deep anchoring (accessory item at an extra charge).

Please note:
The soil characteristics of the impact area surrounding the equipment must have an appropriate level of shock absorption corresponding to a free height of fall of at least 600 mm (according to EN 1176-5).

play equipment **Turning platform (0,45)**

item number **043133000A** https://kaiser-kuehne.com/products/?lang=en

product data



(without scale)

installation

play equipment [m]	l	0,49
	w	0,49
	h	2,25
minimum space [m]	l	3,49
	w	3,49
	h	2,25
impact area [m²]		10,00
free height of fall [m]		0,15
number of mechanics		1
assembly time [hrs]		1
lifting device		no
single weight [kg]		35
total weight [kg]		40

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
			0,000	0

usage

areas of use	public playgrounds
activities	motion activity
age groups	3+
number of users	2

inclusion		
Individual games	Functional play	
Speed	Balancing	
Coordination		

Kaiser & Kühne

play equipment **Turning platform (0,45)**

item number **043133000A**

variants

36337



36338



36339



36340



36341



36342



36343



36344



36345



36346



36347



36348



36349



36350



36351



© 2026 Kaiser & Kühne Freizeitgeräte GmbH - Im Südloh 5 - D-27324 Eystrup - Telefon + 49 (0) 42 54/93 15-0 - Fax +49 (0) 42 54/93 15-24 - info@kaiser-kuehne.com

Kaiser & Kühne

play equipment **Turning platform (0,45)**

item number **043133000A**

variants

36352



36353



36354



36355



36356



36357



36358



36359

