


play equipment **Inclusive carousel Ø 2,50 m**
item number **043625000**

product description (page 1)



Carousel with barrier-free, level access.

Rotating base and superstructure: profiled stainless steel sheet/stainless steel. Easily accessible maintenance opening for checking and cleaning the substructure if necessary.

Roller bearing: central cross-roller bearing, non-intrusive, dirt-protected, with an anti-corrosion coating.

Please note:

The impact surface around the play equipment must have an appropriate level of shock absorption corresponding to a free fall height of at least 600 mm (see EN 1176-5).

The access path should be suitable for use by wheelchair users.

Alternative to in-situ foundation:


Pre-fabricated foundation Art.-Nr. 015994 (at extra charge)

1 pc. Ø 1,70 x 0,20 m

Weight: 900 kg

play equipment

item number

Inclusive carousel Ø 2,50 m
043625000
<https://kaiser-kuehne.com/products/?lang=en>
product data


(without scale)

installation

play equipment [m]	l	2,56
	w	2,56
	h	0,73
minimum space [m]	l	6,56
	w	6,56
	h	0,73
impact area [m²]		33,80
free height of fall [m]		0,00
number of mechanics		2
assembly time [hrs]		2
lifting device		yes
single weight [kg]		495
total weight [kg]		495

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,40	1,40	0,20	0,392	0
			0,000	0

usage

areas of use	public playgrounds		
activities	motion activity		social activity
	sporting activity		manual activity
age groups	4+		
number of users	8		
inclusion	Meeting opportunity		Individual games 
	Functional play		Speed 
	Balancing		Coordination 
	Self-awareness		

