

play equipment

Slide bedway (2,40 m) flange fastening

item number

041424001**product description** (page 1)

One-piece stainless steel structure with additional support for slide run-out section. Speed control by means of a waved section. Slide of low noise level thanks to trough-shaping. Slide installation either on a strip footing or another appropriate surface (wooden platform or planking) to be determined on site.

The waved section of the slide is equipped with a flange for support post fastening, both made from stainless steel.

For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.


play equipment

item number

Slide bedway (2,40 m) flange fastening

041424001
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	5,25
	w	0,60
	h	3,40
minimum space [m]	l	9,40
	w	4,93
	h	4,00
impact area [m²]		33,00
free height of fall [m]		2,50
number of mechanics		0
assembly time [hrs]		0
lifting device		no
single weight [kg]		165
total weight [kg]		165

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,90	0,75	0,40	0,270	1
0,40	0,40	0,60	0,096	1
			0,366	2

usage

areas of use	public playgrounds	
activities	sliding	motion activity
age groups	4+	
number of users	3	
slide heights [m]	2,50	
inclusion	Individual games	Functional play
	Speed	Group games
	Altitude experience	

