


play equipment

**Wide slide (2,80 m) flange fastening**

item number

**041460001****product description** (page 1)

One-piece stainless steel structure, maxi slide entrance section, with additional support for slide run-out section. Speed control by means of a waved section. Slide of low noise level thanks to trough-shaping. Slide installation either on a strip footing or another appropriate surface (wooden platform or planking) to be determined on site.

The waved section of the slide is equipped with a flange for support post fastening, both made from stainless steel.

**For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.**


play equipment

item number

## Wide slide (2,80 m) flange fastening

**041460001**
<https://kaiser-kuehne.com/products/?lang=en>

### product data



(without scale)

### installation

play equipment [m]	l	6,25
	w	1,10
	h	3,80
minimum space [m]	l	10,67
	w	5,95
	h	4,40
impact area [m²]		58,00
free height of fall [m]		2,90
number of mechanics		0
assembly time [hrs]		0
lifting device		no
single weight [kg]		320
total weight [kg]		320

### foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,60	0,096	1
1,40	1,25	0,40	0,700	1
			0,796	2

### usage

areas of use	public playgrounds	
activities	sliding	motion activity
age groups	4+	
number of users	5	
slide heights [m]	2,90	
inclusion	Individual games	Functional play
	Speed	Group games
	Altitude experience	

