

play equipment

Spring see-saw

item number

044206000**product description** (page 1)

See-saw structure: stainless steel frame

Compression spring: spring steel wire Ø 20 mm

Seat: HighPressureLaminate of 20 mm thickness, theft-proof screw connections, including ground anchorage

Please note

The soil characteristics of the impact area surrounding the equipment must have an appropriate level of shock absorption corresponding to a free height of fall of at least 600 mm (according to EN 1176-6).

For an easy level installation into synthetic surfacing, a tailor-made anchorage is available at extra charge (item no. 1090219).

With a temporary deinstallation of the playing equipment, the opening in the ground can be covered by an appropriate panel made from HPL.


play equipment

Spring see-saw

item number

044206000
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	0,65
	w	0,45
	h	0,69
minimum space [m]	l	2,85
	w	2,45
	h	0,69
impact area [m²]		7,00
free height of fall [m]		0,46
number of mechanics		0
assembly time [hrs]		0
lifting device		no
single weight [kg]		0
total weight [kg]		35

usage

areas of use	public playgrounds
activities	motion activity
age groups	2+
number of users	1

inclusion

Individual games	 Functional play
Balancing	 Coordination

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,80	0,50	0,10	0,040	1
			0,040	1

play equipment
item number

Spring see-saw

044206000

variants

17653 *Classic*



17654 *Mermaid*



28231 *Aloha*



28232 *Beach*



28233 *City*



28234 *Coral*



28235 *Ice Palace*



28236 *Jungle*



28237 *Mermaid*



28238 *Nature*



28239 *Ocean*



28240 *Pirate*



28241 *Safari*



28242 *Sky*



28243 *Sun*



play equipment

Spring see-saw

item number

044206000

variants

28244 *Sunny Day*



28245 *Sweden*

