

play equipment

Spring see-saw

item number

044216000**product description** (page 1)

See-saw construction: stainless steel

See-saw spring: special spring wire Ø 20 mm

Seat plate: high pressure laminate 20 mm

Incl. ground anchorage

Please note

The soil characteristics of the impact area surrounding the equipment must have an appropriate level of shock absorption corresponding to a free height of fall of at least 600 mm (according to EN 1176-6).

For an easy level installation into synthetic surfacing, a tailor-made anchorage is available at extra charge (item no. 109219). With a temporary deinstallation of the playing equipment, the opening in the ground can be covered by an appropriate panel made from HPL.


play equipment

Spring see-saw

item number

044216000
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	0,65
	w	0,45
	h	0,78
minimum space [m]	l	3,05
	w	2,45
	h	0,78
impact area [m²]		7,00
free height of fall [m]		0,46
number of mechanics		0
assembly time [hrs]		0
lifting device		no
single weight [kg]		0
total weight [kg]		35

usage

areas of use	public playgrounds
activities	motion activity
age groups	2+
number of users	1

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,80	0,50	0,10	0,040	1
			0,040	1

inclusion

Individual games	Functional play
Balancing	Coordination

play equipment
item number

Spring see-saw

044216000

variants

17657 *Classic*



17658 *Aloha*



28260 *Beach*



28261 *City*



28262 *Coral*



28263 *Ice Palace*



28264 *Jungle*



28265 *Mermaid*



28266 *Nature*



28267 *Ocean*



28268 *Pirate*



28269 *Safari*



28270 *Sky*



28271 *Sun*



28272 *Sunny Day*



play equipment

Spring see-saw

item number

044216000

variants

28273 *Sweden*

