

play equipment      **Spring see-saw**  
item number        **044262000**

**product description**      (page 1)



including ground anchorage

Please note

The soil characteristics of the impact area surrounding the equipment must have an appropriate level of shock absorption corresponding to a free height of fall of at least 600 mm (according to EN 1176-6).

For an easy installation into synthetic surfacing, a tailor-made anchorage is available at extra charge (item no. 109219). With a temporary deinstallation of the playing equipment, the opening in the ground can be covered by appropriate panels made from HPL.


play equipment

## Spring see-saw

item number

**044262000**
<https://kaiser-kuehne.com/products/?lang=en>

### product data



(without scale)

### installation

play equipment [m]	l	1,70
	w	0,85
	h	0,71
minimum space [m]	l	3,80
	w	2,85
	h	0,71
impact area [m²]		10,00
free height of fall [m]		0,75
number of mechanics		0
assembly time [hrs]		0
lifting device		no
single weight [kg]		0
total weight [kg]		60

### foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,30	0,80	0,10	0,104	1
			0,104	1

### usage

areas of use	public playgrounds
activities	motion activity
age groups	2+
number of users	4

### inclusion

Meeting opportunity	Individual games
Functional play	Balancing
Group games	Coordination

play equipment

## Spring see-saw

item number

**044262000**

### variants

17673 *Classic*



17674 *Sky*



28358 *Aloha*



28359 *Beach*



28360 *City*



28361 *Coral*



28362 *Ice Palace*



28363 *Jungle*



28364 *Mermaid*



28365 *Nature*



28366 *Ocean*



28367 *Pirate*



28368 *Safari*



28369 *Sun*



28370 *Sunny Day*



play equipment

## **Spring see-saw**

item number

**044262000**

### **variants**

28371 *Sweden*

