


play equipment **Spring see-saw**
item number **044204000**

product description (page 1)



Ground anchorage included

Please note

The soil characteristics of the impact area surrounding the equipment must have an appropriate level of shock absorption corresponding to a free height of fall of at least 600 mm (according to EN 1176-6).

For an easy level installation into synthetic surfacing, a tailor-made anchorage is available at extra charge (item no. 109219). With a temporary deinstallation of the playing equipment, the opening in the ground can be covered by an appropriate panel made from HPL.


play equipment

Spring see-saw

item number

044204000
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	0,45
	w	0,45
	h	0,92
minimum space [m]	l	2,80
	w	2,80
	h	0,92
impact area [m²]		7,00
free height of fall [m]		0,62
number of mechanics		0
assembly time [hrs]		0
lifting device		no
single weight [kg]		0
total weight [kg]		25

usage

areas of use	public playgrounds
activities	motion activity
age groups	2+
number of users	1

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,80	0,50	0,10	0,040	1
			0,040	1

inclusion

Balancing



Coordination



play equipment

Spring see-saw

item number

044204000

variants

17652 *Classic*



24840 *spring and plate traffic yellow/*