

play equipment

Cable ride (20,00 m) with ramp

item number

042223000**product description** (page 1)

- Cable ride crossbeams from hot-dip galvanised steel, powder coated and stove enamelled, colour on choice
- cable ride stanchions made from hot-dip galvanised steel, Ø 88,9 x 5,6 mm
- cable fastening with tensioning device to one side for smooth straight-line tensioning by means of self-locking trapezoidal threaded bolt
- cable ride platform combination consisting of a starting ramp, 1,90 m x 2,90 m, with an inclination of less than 20° inclination leading from play level to a height of 1,00 m, and a starting platform, 1,90 x 2,30 m, h = 1,00 m; both components furnished with a steel substructure and a square-shaped timber covering from Robinia
- cable (pre-assembled nominal length ready for installation) consisting of wire cable (10 mm; steel cable; zinc-plated 35 x 7, non-rotating; 16 outer strands; 19 inner strands; stoppers of low wear and low noise
- stainless steel cable pulley with three Polyamide rollers with anti-friction bearing
- swivel device (both from stainless steel) to minimise chain wear at the joint with the pendulum chain

Minimum noise development caused by the pulley thanks to an elaborate cable construction by Kaiser & Kühne.

The starting station must be built on a mound corresponding to the installation instructions. Thereby, it must be achieved that the maximum free height of fall at any point, referring to the starting platform, does not amount to more than 0,55 m above the impact surfacing.

Cable and pulley, pendulum seat and rubber handle will subsequently be delivered after dimensional measurement after installation of the supports and crossbeams (prescriptions for correct dimensional measurement will be enclosed to the first delivery).

Metal components: stainless steel

Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment reduces crack formation.


play equipment

Cable ride (20,00 m) with ramp

item number

042223000
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	22,50
	w	3,65
	h	3,90
minimum space [m]	l	24,25
	w	5,70
	h	3,90
impact area [m²]		105,00
free height of fall [m]		1,00
number of mechanics		2
assembly time [hrs]		5
lifting device		yes
single weight [kg]		165
total weight [kg]		900

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,80	0,80	0,80	0,512	4
1,00	1,00	0,80	0,800	4
0,40	0,40	0,40	0,064	3
			5,440	11

usage

areas of use	public playgrounds
activities	motion activity
age groups	4+
number of users	5

platform heights 0,90

inclusion

Individual games

Speed

Altitude experience

Functional play

Group games

play equipment

Cable ride (20,00 m) with ramp

item number

042223000

variants

17517

Classic

