


play equipment

Dalben tower combination (8,50)

item number

912085005**product description** (page 1)Dalben tower combination consisting of:

Dalben tower (8,50) with tunnel slide 30°/36° (4,00 m) and scramble up net access for platform height (2,00 m);
coloured tower hood / with whirligig

Posts

Laminated Larch Ø 200 mm with triple protective paint finish, supported by steel footings

Platforms

Triangular timber platforms, laminated larch joists, platform covering from Robinia 95 x 30 mm, screw-fitted flange fixing to posts
Glass-bead blasted stainless steel ladder access from platform to platform (safety barrier included), height of the first rung: 0,50 m

Protective barriers (upwards from platform height 1,00 m)

Welded structure made of stainless steel tubes Ø 21/33,7 mm, glass bead blasted, screw-fitted flange fixing to posts

Tower hood

Coloured High pressure laminate 15 mm

Top element

Coloured whirligig

Climb up to platform height 2,00 m

- climbing net access from coloured Hercules ropes, Ø 16 mm, mesh size 300 mm x 300 mm (axial dimension)

Tunnel slide 30°/36°, installation height 4,00 m

One-piece welding construction, particularly low-noise thanks to trough-shaped sliding segments consisting of the following parts:

- 16100 Tunnel slide entrance section (30°)
- 16130 Waved section 30°/36° for tunnel slide
- 16166 Curved section for 36° tunnel slide, 8 pcs.,

play equipment

Dalben tower combination (8,50)

item number

912085005**product description** (page 2)

- 16116085 40° to the right
Straight section for 36° tunnel slide,
length 0,85 m
- 16186 Tunnel slide run-out section 36°

including hill slide support post for the curved section, made from stainless steel tube Ø 120 x 3 mm, stainless steel fastening flange

For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.

Anchorage

Dowelling of each base plate by means of 2 stainless steel injection anchors, material specification A4.

As damage protection, the tower is equipped with a lightning conductor.

Approximate assembly values

2 mechanics 18 hours each plus lifting gear
(without creating foundations)


play equipment

item number

Dalben tower combination (8,50)

912085005
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	5,65
	w	9,55
	h	8,50
minimum space [m]	l	9,25
	w	13,25
	h	8,50
impact area [m²]		64,00
free height of fall [m]		2,00
number of mechanics		2
assembly time [hrs]		18
lifting device		no
single weight [kg]		450
total weight [kg]		2.300

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,00	1,00	0,50	0,500	4
1,00	0,40	0,40	0,160	3
0,40	0,40	0,60	0,096	1
			2,576	8

usage

areas of use

activities

age groups

4+

number of users

21

inclusion

Individual games

Speed

Altitude experience

Fumbling

Functional play

Balancing

Coordination

play equipment

Dalben tower combination (8,50)

item number

912085005

variants

17243 *Classic*



17244 *Pirate*