

play equipment      **Cable ride (50,00 m)**  
item number        **042250000**

**product description**      (page 1)



Cross beam: hot dip galvanized steel.

Cable ride support frame: hot dip galvanized steel with peg disk attachment Ø 240 mm

Cable fastening with tensioning device for easy linear tightening of the cable with irreversible trapezoid thread spindle.

Cable: hot dip galvanized steel, with shock absorbers.

Pulley: stainless steel sheet with 3 wheels of polyamid, run on sealed anti-friction bearings.

Handle: stainless steel chain, fitted with a flexible red rubber moulded grip.

Pendulum seat: rubber with aluminium insert.

**In case of installation on flat ground the modelling of the starting and arrival station has to be done according to installation instructions.**

play equipment

**Cable ride (50,00 m)**

item number

**042250000**
<https://kaiser-kuehne.com/products/?lang=en>
**product data**


(without scale)

**installation**

play equipment [m]	l	52,00
	w	3,85
	h	2,70
minimum space [m]	l	53,10
	w	4,00
	h	2,70
impact area [m²]		206,00
free height of fall [m]		1,00
number of mechanics		2
assembly time [hrs]		4
lifting device		yes
single weight [kg]		130
total weight [kg]		1.100

**foundations**

l [m]	w [m]	h [m]	vol [m³]	qty
1,00	1,00	1,00	1,000	8
			8,000	8

**usage**

areas of use	public playgrounds
activities	motion activity
age groups	4+
number of users	6

**inclusion**

Individual games	Functional play
Speed	Group games
Altitude experience	

play equipment

**Cable ride (50,00 m)**

item number

**042250000**

**variants**

17523    *Classic*

