

play equipment **Cable ride (40,00 m)**
item number **042240000**

product description (page 1)



Cross beam: hot dip galvanized steel.

Cable ride support frame: hot dip galvanized steel with peg disk attachment Ø 240 mm, powder coated and stove enamelled, color: green/RAL 6018

Cable fastening with tensioning device for easy linear tightening of the cable with irreversible trapezoid thread spindle.

Cable: hot dip galvanized steel, with shock absorbers.

Pulley: stainless steel sheet with 3 wheels of polyamid, run on sealed anti-friction bearings.

Handle: stainless steel chain, fitted with a flexible red rubber moulded grip.

Pendulum seat: rubber with aluminium insert.

After delivery

For delivery of applicable cable please complete attached form "Locally measurements" and return sheet to your distributor or to K&K Freizeitgeräte.

In case of installation on flat ground the modelling of the starting and arrival station has to be done according to installation instructions.


play equipment

Cable ride (40,00 m)

item number

042240000
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	42,00
	w	3,85
	h	2,70
minimum space [m]	l	43,10
	w	4,00
	h	2,70
impact area [m²]		166,00
free height of fall [m]		1,00
number of mechanics		2
assembly time [hrs]		4
lifting device		yes
single weight [kg]		130
total weight [kg]		1.095

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,00	1,00	1,00	1,000	8
			8,000	8

usage

areas of use	public playgrounds
activities	motion activity
age groups	4+
number of users	6

inclusion

Individual games	Functional play
Speed	Group games
Altitude experience	

play equipment

Cable ride (40,00 m)

item number

042240000

variants

17522 *Classic*

