

play equipment

**Cable ride (25,00 m)**

item number

**042225001****product description** (page 1)

- cable ride crossbeams from hot-dip galvanised tubular steel, powder coated and stove enamelled, colour on choice
- cable ride stanchions made from hot-dip galvanised steel Ø 88,9 x 5,6 mm
- cable fastening with tensioning device to one side for smooth straight-line tensioning by means of self-locking trapezoidal threaded bolt
- cable (pre-assembled nominal length ready for installation) consisting of wire cable (10 mm; steel cable; zinc-plated 35 x 7, non-rotating; 16 outer strands; 19 inner strands; stoppers of low wear and low noise with progressive braking effect by means of a solid helical spring construction; self-locking wedge sockets; minimum rollover noise production
- pulley with stainless steel housing; three Polyamide carrying and guiding rollers with anti-friction bearing; adjustable finger protection (Polyamide); receptacle swivelling in travel direction (plain bearing from sintered Bronze) for removable attachment of the suspension chain
- stainless steel chain with flexible thermically pressed-on natural rubber handle with internal chain; natural rubber pendulum seat
- swivel device (both from stainless steel) to minimise chain wear at the joint with the pendulum chain

**Minimum noise development caused by the pulley thanks to an elaborate cable construction by Kaiser & Kühne**


**The starting station must be built on a mound corresponding to the installation instructions. Thereby, it must be achieved that the maximum free height of fall at any point, referring to the starting platform, does not amount to more than 0,55 m above the impact surfacing.**

**Cable and pulley, pendulum seat and rubber handle will subsequently be delivered after dimensional measurement after installation of the supports and crossbeams (prescriptions for correct dimensional measurement will be enclosed to the first delivery).**

play equipment

**Cable ride (25,00 m)**

item number

**042225001**
<https://kaiser-kuehne.com/products/?lang=en>
**product data**


(without scale)

**installation**

|                         |   |        |
|-------------------------|---|--------|
| play equipment [m]      | l | 27,20  |
|                         | w | 3,65   |
|                         | h | 3,90   |
| minimum space [m]       | l | 29,45  |
|                         | w | 4,00   |
|                         | h | 3,90   |
| impact area [m²]        |   | 111,00 |
| free height of fall [m] |   | 1,00   |
| number of mechanics     |   | 2      |
| assembly time [hrs]     |   | 4      |
| lifting device          |   | yes    |
| single weight [kg]      |   | 60     |
| total weight [kg]       |   | 585    |

**usage**

|                 |                    |
|-----------------|--------------------|
| areas of use    | public playgrounds |
| activities      | motion activity    |
| age groups      | 4+                 |
| number of users | 5                  |

**inclusion**

|                     |                 |
|---------------------|-----------------|
| Individual games    | Functional play |
| Speed               | Group games     |
| Altitude experience |                 |

**foundations**

| l [m] | w [m] | h [m] | vol [m³] | qty |
|-------|-------|-------|----------|-----|
| 0,80  | 0,80  | 0,80  | 0,512    | 4   |
| 1,00  | 1,00  | 0,80  | 0,800    | 4   |
|       |       |       | 5,248    | 8   |

play equipment

**Cable ride (25,00 m)**

item number

**042225001**

**variants**

17520 *Classic*

