

play equipment

Totter platform

item number

044141000**product description** (page 1)

Panel from synthetic resin-compressed wood (PAGHOLZ®), 20 mm thickness, extremely resistant to wear, weather, UV radiation and varying temperatures, slip-resistant thanks to milled grooves.

Arch-shaped support tubes: stainless steel

Functional type of platform with appropriate layout of 3 compression springs from electrogalvanised spring steel wire according to DIN 17223 C, 280 x 120 x 12 mm, additional red epoxy coating/RAL 2002.


anchoring by means of a concrete-cast foundation anchor from galvanised steel

Please note

The soil characteristics of the impact area surrounding the equipment must have an appropriate level of shock absorption corresponding to a free height of fall of at least 600 mm (according to EN 1176-6).

play equipment

item number

Totter platform
044141000
<https://kaiser-kuehne.com/products/?lang=en>
product data


(without scale)

installation

play equipment [m]	l	1,00
	w	1,00
	h	1,00

minimum space [m]	l	4,20
	w	4,20
	h	1,00

impact area [m²]	14,00
free height of fall [m]	0,30

number of mechanics	1
assembly time [hrs]	1

lifting device	no
single weight [kg]	55
total weight [kg]	63

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,80	0,80	0,35	0,176	1
			0,176	1

usage

areas of use	public playgrounds
activities	motion activity
age groups	3+
number of users	3

inclusion

Meeting opportunity	Individual games
Functional play	Balancing
Group games	

play equipment
item number

Totter platform
044141000

variants

17645 *Classic*

