

play equipment

**Balance cat walk**

item number

**052020000****product description** (page 1)

Balancing frame: stainless steel/balancing surface covered by coloured rubber granulate.

Seesaw spring: Spezialfederdraht Ø 20 mm

Weight: 55 kg as a whole

including ground anchor frame

Please note

The soil characteristics of the impact area surrounding the equipment must have an appropriate level of shock absorption corresponding to a free height of fall of at least 600 mm (according to EN 1176-6).

For an easy installation into synthetic surfacing, tailor-made anchors are available at extra charge (item no. 109219). With a temporary deinstallation of the playing equipment, the openings in the ground can be covered by appropriate panels made from HPL.


play equipment

## Balance cat walk

item number

**052020000**
<https://kaiser-kuehne.com/products/?lang=en>

### product data



(without scale)

### installation

play equipment [m]	l	2,65
	w	0,45
	h	0,35
minimum space [m]	l	5,65
	w	3,45
	h	0,35
impact area [m²]		13,00
free height of fall [m]		0,35
number of mechanics		0
assembly time [hrs]		0
lifting device		no
single weight [kg]		0
total weight [kg]		55

### foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,80	0,50	0,10	0,040	2
			0,080	2

### usage

areas of use	public playgrounds	
activities	balancing	motion activity
age groups	3+	
number of users	6	
inclusion	Individual games	Functional play
	Balancing	Altitude experience
	Coordination	

play equipment

## Balance cat walk

item number

**052020000**

### variants

17690 *Classic*

