

play equipment

Climbing combination

item number

022330703**product description** (page 1)Posts

Laminated Robinia timber Ø 120 mm with cylindrical milling. End-grain surfaces are covered by non-detachable protective stainless steel caps. Stainless steel tubular pedestal for concrete-cast foundation and for fixed mounting to round Robinia posts, Ø 120 mm, below playing surface.

Platforms

Platform from boards of 30 mm thickness and all-round square-shaped joists 45 x 100 mm. Dried timber from Robinia, planed, milled and free from decay. Force-fitting fastening through specific stainless steel brackets with end-to-end bolt assembly.

Attachment parts

- bowed guardrail with roll-off prevention, from stainless steel tubes, Ø 33,7 x 2 mm
- tandem guardrail from stainless steel tubes, Ø 33,7 x 2 mm
- gable roof, 45° inclination, made from highly weather-resistant coloured HPL panels, 13 mm thickness. fastening on a tubular stainless steel frame
- seat made from highly weather-resistant coloured HPL panel, 20 mm thickness
- vertical climbing pole made from stainless steel tubes, Ø 38 mm
- inclined monkey bars, one-piece welded assembly from stainless steel tubes Ø 38 x 2,5/Ø 33,7 x 2 mm
- trough-shaped attachment slide, width 0,60 m, one-piece welded assembly, stainless steel sheet thickness: 2,5 mm, with roll-off prevention above the entrance section

For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.

Stainless steel metal components. Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment reduces crack formation. Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts. Tamper-proof connections thanks to screws with protective screw caps.


play equipment

item number

Climbing combination

022330703
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	7,45
	w	4,60
	h	3,85
minimum space [m]	l	11,00
	w	7,85
	h	3,85
impact area [m²]		65,00
free height of fall [m]		2,25
number of mechanics		2
assembly time [hrs]		8
lifting device		no
single weight [kg]		100
total weight [kg]		725

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,30	0,30	0,40	0,036	1
0,40	0,40	0,40	0,064	13
0,75	0,40	0,40	0,120	1
			0,988	15

usage

areas of use	public playgrounds			
activities	sliding motion activity		climbing	
age groups	4+			
number of users	21			
slide heights [m]	1,70			
platform heights	1,40	1,60	1,80	
inclusion	Drama play		Individual games	
	Functional play		Speed	
	Balancing		Group games	
	Altitude experience		Communication	
	Coordination		Parallel play	

play equipment

item number

Climbing combination
022330703
variants

16725 *Classic*

16726 *Coral*

25994 *Aloha*

25995 *Beach*

25996 *City*

25997 *Ice Palace*

25998 *Jungle*

25999 *Mermaid*

26000 *Nature*

26001 *Ocean*

26002 *Pirate*

26003 *Sky*

26004 *Sun*

26005 *Sunny Day*

26006 *Sweden*
