

play equipment

Bridge combination

item number

028172700**product description** (page 1)Posts

Laminated Robinia timber Ø 120 mm with cylindrical milling. End-grain surfaces are covered by non-detachable protective stainless steel caps. Stainless steel tubular pedestal for concrete-cast foundation and for fixed mounting to round Robinia posts, Ø 120 mm, below playing surface.

Platforms

Platform from boards of 30 mm thickness and all-round square-shaped joists 45 x 100 mm. Dried timber from Robinia, planed, milled and free from decay. Force-fitting fastening through specific stainless steel brackets with end-to-end bolt assembly.

Attachment parts

- tandem guardrail from stainless steel tubes, Ø 33,7 x 2 mm
- sloping tottery stairs suspended from fine stainless steel chains fixed to tandem guardrails
- arch-shaped Robinia bridge with stainless steel handrails

Metal components: stainless steel

Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment reduces crack formation. Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts. Tamper-proof connections thanks to screws with protective screw caps.


play equipment

Bridge combination

item number

028172700
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	8,95
	w	0,95
	h	2,55
minimum space [m]	l	11,95
	w	3,95
	h	2,55
impact area [m²]		45,00
free height of fall [m]		1,85
number of mechanics		2
assembly time [hrs]		5
lifting device		no
single weight [kg]		80
total weight [kg]		575

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,40	0,064	12
			0,768	12

usage

areas of use	public playgrounds	
activities	balancing	motion activity
age groups	4+	
number of users	13	
platform heights	1,40	
inclusion	Meeting opportunity	 Balancing 
	Altitude experience	 Coordination 
	Fumbling	

play equipment
item number

Bridge combination
028172700

variants

16927 *Classic*

