

play equipment

Play structure

item number

021126700**product description** (page 1)Posts

Laminated Robinia timber Ø 120 mm with cylindrical milling. End-grain surfaces are covered by non-detachable protective stainless steel caps. Stainless steel tubular pedestal for concrete-cast foundation and for fixed mounting to round Robinia posts, Ø 120 mm, below playing surface.

Platforms

Platforms from boards of 30 mm thickness and all-round square-shaped joists 45 x 100 mm. Dried timber from Robinia, planed, milled and free from decay. Force-fitting fastening through specific stainless steel brackets with end-to-end bolt assembly.

Attachment parts

- infill panel from highly weather-resistant coloured HPL, fastening between stainless steel tubes Ø 33,7 x 2 mm
- balcony parapet made from stainless steel tubes
- pair of Robinia infill barriers for the stairs, fastening between stainless steel tubes Ø 33,7 x 2 mm
- stairs for post attachment made from Robinia 170 x 45 mm, fixed to stainless steel framework Ø 33,7 x 2 mm, step spacing 133 mm
- table made from red highly weather-resistant HPL panel, 15 mm
- seat made from yellow highly weather-resistant HPL panel, 20 mm
- rubber flag with fabric insert, for fastening on top of a post
- saddle roof, 45° inclination, made from blue highly weather-resistant HPL panels, 13 mm thickness, fastening to stainless steel frame Ø 33,7 x 2 mm
- trough-shaped attachment slide, width 0,60 m, one-piece welded assembly, stainless steel sheet thickness: 2,5 mm, with roll-off prevention above the entrance section

For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.

Metal components: stainless steel. Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment reduces crack formation. Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts. Tamper-proof connections thanks to screws with protective screw caps.


play equipment

item number

Play structure

021126700
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	3,75
	w	3,20
	h	2,65
minimum space [m]	l	7,25
	w	6,20
	h	2,65
impact area [m²]		29,00
free height of fall [m]		0,90
number of mechanics		2
assembly time [hrs]		3
lifting device		no
single weight [kg]		75
total weight [kg]		470

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,40	0,064	9
0,75	0,40	0,40	0,120	1
			0,696	10

usage

areas of use	public playgrounds	
activities	sliding	motion activity
age groups	2+	
number of users	9	
slide heights [m]	0,90	
platform heights	0,80	
inclusion	Drama play	Individual games
	Functional play	Speed
	Group games	Altitude experience
	Coordination	Parallel play

play equipment
item number

Play structure
021126700

variants

16610 *Classic*



16611 *Ocean*



25284 *Aloha*



25285 *Beach*



25286 *City*



25287 *Coral*



25288 *Ice Palace*



25289 *Jungle*



25290 *Mermaid*



25291 *Nature*



25292 *Pirate*



25293 *Safari*



25294 *Sky*



25295 *Sun*



25296 *Sunny Day*



play equipment

Play structure

item number

021126700

variants

25297 *Sweden*

