

play equipment **Combi slide (1,60)**
item number **041158700**

product description (page 1)



Posts

Laminated Robinia timber Ø 120 mm with cylindrical milling. End-grain surfaces are covered by non-detachable protective stainless steel caps. Stainless steel tubular pedestal for concrete-cast foundation and for fixed mounting to round Robinia posts, Ø 120 mm, below playing surface.

Attachment parts

- climbing rungs from stainless steel tube Ø 38 x 2,5 mm with twist protection
- trough-shaped attachment slide, width 0,60 m, one-piece welded assembly, stainless steel sheet thickness: 2,5 mm, with roll-off prevention above the entrance section

For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.


Metal components: stainless steel

Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment reduces crack formation. Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts. Tamper-proof connections thanks to screws with protective screw caps.

play equipment

Combi slide (1,60)

item number

041158700
<https://kaiser-kuehne.com/products/?lang=en>
product data


(without scale)

installation

play equipment [m]	l	4,20
	w	0,95
	h	2,55
minimum space [m]	l	8,25
	w	5,00
	h	2,60
impact area [m²]		31,00
free height of fall [m]		2,30
number of mechanics		2
assembly time [hrs]		2
lifting device		no
single weight [kg]		105
total weight [kg]		200

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,40	0,064	3
0,75	0,40	0,40	0,120	1
			0,312	4

usage

areas of use	public playgrounds	
activities	sliding	climbing
age groups	5+	
number of users	5	
slide heights [m]	1,70	
inclusion	Individual games	Functional play
	Speed	Group games
	Altitude experience	

play equipment

Combi slide (1,60)

item number

041158700

variants

17321 *Classic*

