

play equipment      **Combi slide (2,00)**  
item number        **041162500**

**product description**      (page 1)



#### Posts

Posts made from stainless steel tubes Ø 120 mm, material thickness 3 mm, covered by non-detachable protective stainless steel caps. Attachment of the modular components to the posts by means of sturdy fully welded stainless steel sockets without protruding parts.

#### Attachment parts

- climbing rungs from stainless steel tube Ø 38 x 2,5 mm with twist protection
- trough-shaped attachment slide, width 0,60 m, one-piece welded assembly, stainless steel sheet thickness: 2,5 mm, with roll-off prevention above the entrance section

**For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.**

Metal components: stainless steel


Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts.

Tamper-proof connections thanks to screws with security socket.

play equipment

**Combi slide (2,00)**

item number

**041162500**
<https://kaiser-kuehne.com/products/?lang=en>
**product data**


(without scale)

**installation**

play equipment [m]	l	4,90
	w	0,95
	h	2,95
minimum space [m]	l	9,10
	w	5,40
	h	3,00
impact area [m²]		38,00
free height of fall [m]		2,60
number of mechanics		2
assembly time [hrs]		3
lifting device		no
single weight [kg]		125
total weight [kg]		275

**foundations**

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,40	0,064	4
0,75	0,40	0,40	0,120	1
			0,376	5

**usage**

areas of use	public playgrounds	
activities	sliding	climbing
age groups	5+	
number of users	6	
slide heights [m]	2,10	
inclusion	Individual games	Functional play
	Speed	Group games
	Altitude experience	

play equipment

**Combi slide (2,00)**

item number

**041162500**

**variants**

17322    *Classic*

