

play equipment

Water play structure

item number

034352701**product description** (page 1)**Posts**

Laminated Robinia timber Ø 120 mm with cylindrical milling. End-grain surfaces are covered by non-detachable protective stainless steel caps.

Stainless steel tubular pedestal for concrete-cast foundation and for fixed mounting to round Robinia posts, Ø 120 mm, below playing surface.

Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment reduces crack formation. Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts. Tamper-proof screw connections thanks to protective screw caps.

Platform

Platform from boards of 30 mm thickness and all-round square-shaped joists 45 x 100 mm. Dried timber from Robinia, planed, milled and free from decay. Force-fitting fastening through specific stainless steel brackets with end-to-end bolt assembly.

Attachment parts

- bowed guardrail with roll-off prevention, from stainless steel tubes, Ø 33,7 x 2 mm
- cranked ladder rung from stainless steel tube Ø 33,7 x 2 mm
- half a tent roof, 45° inclination, from highly weather-resistant coloured HPL panels, 13 mm thickness, fastening to stainless steel frame Ø 33,7 x 2 mm
- timber infill barriers from Robinia, 125 x 30 mm, fastening between stainless steel tubes Ø 33,7 x 2 mm
- stainless steel infill barriers, Ø 33,7 x 2 / 25 x 2 mm, one-piece welded assembly

Stand alone bottom basin for screw pump

Welded stainless steel construction with discharge drilling, closed by a cylinder screw. Screw connection of the bottom bearing of the screw pump. Sheet metal thickness 2 mm / tube Ø 38 mm.

At extra charge, there are appropriate ring-shaped concrete foundations (015168) for flange fastening and concrete form blocks (015169) for masonry works to compensate different levels or for a safe installation with loose fall protection surfacing (sand, gravel etc.).

Collecting basin

play equipment

Water play structure

item number

034352701**product description** (page 2)

Welded stainless steel construction with discharge drilling. Sheet metal thickness 2 mm / tube Ø 38 mm, for post attachment.

Screw pump with hand wheel and crank drive

Length: 2,00 m

Outer diameter: 0,25 m

Hand wheel diameter: 0,80 m

Welded stainless steel construction for post attachment, with roller bearings, base bearing facilitating screw fastening.

Water table (0,50)

Base area: 0,84 x 1,84 m

Total height: 0,65 m

Welded stainless steel construction with one tubular run-off and four storage surfaces. Conical rubber closing with locking mechanism. Sheet metal thickness: 2,5 mm / tube Ø 38 mm.

At extra charge, there are appropriate ring-shaped concrete foundations (015165) for flange fastening and concrete form blocks (015170) for masonry works to compensate different levels or for a safe installation with loose fall protection surfacing (sand, gravel etc.)

Gargoyle

Welded stainless steel construction with a clamping device for tube Ø 38 mm, with receptacle for a water hose plug 1/2" resp. 3/4". (for instance Gardena® or similar type).

Water trough type M5 1,60 m

Welded stainless steel construction 0,80 m x 1,60 m, Sheet metal thickness: 2 mm / tube Ø 38 mm. For post attachment and with additional trough support for inclined installation corresponding to water feed or water run-off. Inclined run-off, including flexible flap with stainless steel knob and reinforced rubber blade.

Basin with one run-off for terracing installation

Base area: Ø 0,90 m

Total height: 0,14 m

Welded stainless steel construction with discharge drilling. Sheet metal thickness 2 mm / tube Ø 33,7 mm, for post attachment.


play equipment

item number

Water play structure

034352701
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	3,95
	w	2,80
	h	3,00
minimum space [m]	l	6,95
	w	6,00
	h	3,00
impact area [m²]		34,00
free height of fall [m]		1,20
number of mechanics		2
assembly time [hrs]		3
lifting device		no
single weight [kg]		105
total weight [kg]		560

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,40	0,064	8
0,50	0,50	0,50	0,125	1
			0,637	9

usage

areas of use	supervised playgrounds
activities	manual activity
age groups	2+
number of users	16

platform heights 0,80 1,20

inclusion

Meeting opportunity

Individual games

Fine motor skills

Group games

Coordination

Drama play

Exploratory game

Feeling

Altitude experience

Fumbling

play equipment
item number

Water play structure 034352701

variants

17079 *Classic*



29375 *Aloha*



29376 *Beach*



29377 *City*



29378 *Coral*



29379 *Ice Palace*



29380 *Jungle*



29381 *Mermaid*



29382 *Nature*



29383 *Ocean*



29384 *Pirate*



29385 *Safari*



29386 *Sky*



29387 *Sun*



29388 *Sunny Day*



play equipment

Water play structure

item number

034352701

variants

29389 *Sweden*

