

play equipment

Water play structure

item number

034034001**product description** (page 1)Gargoyle item no. 0-33125-000

Welded stainless steel construction with a clamping device for tube Ø 38 mm, with receptacle for a water hose plug 1/2 in resp. 3/4 in (for instance Gardena® or similar type)

Y-shaped water trough

Y-shaped water trough, with one inlet and two outlet sections, sheet metal thickness: min. 2 mm / tube Ø 38 mm

Flap 2 pieces

Flexible flap for K&K Water troughs, freely positionable, with stainless steel knob and reinforced rubber blade

Water wheel Ø 0,60 m

Welded stainless steel construction, for water collection from a trough on top, 12 paddle wheels, rounded on the front end, framed by side panels. Sheet metal thickness: 2 mm at least. Water wheel mounted in roller bearing. Additional support Ø 38 mm) for trough attachment

Mixing plate (0,50) item no. 0-33451-000

Welded structure made of stainless steel with six water outlets. Sheet metal thickness: min. 2 mm/ tube Ø 38 mm. Anchorage by means of ring-shaped bottom flange. At extra charge, there are appropriate ring-shaped concrete foundations (015165) for flange fastening and concrete form blocks (015170) for masonry works to compensate different levels or for a safe installation with loose fall protection surfacing (sand, gravel etc.)


play equipment

item number

Water play structure

034034001
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	2,50
	w	2,20
	h	1,10
minimum space [m]	l	5,50
	w	5,20
	h	1,10
impact area [m²]		21,00
free height of fall [m]		0,50
number of mechanics		2
assembly time [hrs]		1
lifting device		no
single weight [kg]		50
total weight [kg]		147

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,50	0,50	0,50	0,125	2
0,70	0,50	0,50	0,175	1
			0,425	3

usage

areas of use	supervised playgrounds
activities	manual activity
age groups	2+
number of users	12

inclusion

Meeting opportunity	Individual games
Exploratory game	Feeling
Group games	Fumbling

