

play equipment

Actio 309

item number

027309000**product description** (page 1)Arc 75°

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

Arc 90°

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

Big Hurricane

- welded, twisted construction from stainless steel
- rotating floor from profiled stainless sheet steel
- tamper-proof, dirt-protected top and bottom roller bearings
- top: screw-type connection to Actio structural element
- bottom: anchoring by means of a concrete-cast foundation anchor from galvanised steel

Spring Slide

- welded construction from stainless steel tubes Ø 42,4 mm
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Resting Point

- climbing wall made from a coloured highly weather-resistant HPL panel (20 mm thickness), with free climbing elements fitted to one side, framed in a tubular stainless steel construction Ø38
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Meeting Point

- welded construction from stainless steel tubes Ø 60,3 mm with a Hercules cross joint from Ø16 mm rope with 6-stranded steel core
- top: screw-type connection to Actio structural element by means of aluminium clamps (powder coating on choice, according to

play equipment

Actio 309

item number

027309000**product description** (page 2)

RAL colour chart)

Flying handle

- flying ring with rubberised gripping surface and 6 mm chain
- top: screw-type connection to Actio structural element by means of an aluminium clamp (powder coating on choice, according to RAL colour chart)


Actio panel

- coloured highly weather-resistant HPL panel (20 mm thickness) including labelling "Actio"
- connection by means of clamps from aluminium (powder coating on choice, according to RAL colour chart)

play equipment

Actio 309

item number

027309000
<https://kaiser-kuehne.com/products/?lang=en>
product data


(without scale)

installation

play equipment [m]	l	4,86
	w	4,35
	h	2,93
minimum space [m]	l	8,38
	w	8,30
	h	2,93
impact area [m²]		50,00
free height of fall [m]		2,86
number of mechanics		3
assembly time [hrs]		5
lifting device		no
single weight [kg]		67
total weight [kg]		466

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,30	0,50	0,50	0,325	3
0,60	0,60	0,50	0,180	3
			1,515	6

usage

areas of use	public playgrounds	
activities	sliding	climbing
	motion activity	social activity
age groups	6+	
number of users	13	

inclusion

Individual games	Functional play
Speed	Balancing
Group games	Communication
Parallel play	

play equipment
item number

Actio 309
027309000

variants

16890 *Classic*



16891 *Aloha*



26914 *Beach*



26915 *City*



26916 *Coral*



26917 *Ice Palace*



26918 *Jungle*



26919 *Mermaid*



26920 *Nature*



26921 *Ocean*



26922 *Pirate*



26923 *Safari*



26924 *Sky*



26925 *Sun*



26926 *Sunny Day*



play equipment

Actio 309

item number

027309000

variants

26927 *Sweden*

