

play equipment

Climbing combination

item number

021185704**product description** (page 1)Posts

Laminated Robinia timber Ø 120 mm with cylindrical milling. End-grain surfaces are covered by non-detachable protective stainless steel caps. Stainless steel tubular pedestal for concrete-cast foundation and for fixed mounting to round Robinia posts, Ø 120 mm, below playing surface.

Platforms

Platforms from boards of 30 mm thickness and all-round square-shaped joists 45 x 100 mm. Dried timber from Robinia, planed, milled and free from decay. Force-fitting fastening through specific stainless steel brackets with end-to-end bolt assembly.

Attachment parts

- tandem guardrail from stainless steel tubes, Ø 33,7 x 2 mm
- bowed guardrail with roll-off prevention, from stainless steel tubes, Ø 33,7 x 2 mm
- crawl tunnel: Ø 56 cm, stainless steel, sheet thickness 2,5 mm
- monkey bars from stainless steel tube Ø 38 mm, material thickness 2,5 mm, with twist protection
- climbing net from Hercules ropes suspended from stainless steel tandem crossbeam
- climbing wall with 12 cut-outs from highly weather-resistant red HPL, 20 mm thickness, framed by stainless steel tubes
- vertical climbing pole made from stainless steel tubes Ø 38 mm
- climbing bar from stainless steel tube Ø 38 mm with twist protection
- trough-shaped attachment slide, width 0,60 m, one-piece welded assembly, stainless steel sheet thickness: 2,5 mm, with roll-off prevention above the entrance section

For your planning, due to a possible sliding surface heating, please see to a north-east orientation of the slides or provide half-shade of trees.

Metal components: stainless steel

Robinia timber is furnished with water-repellent, breathable protective coating. Besides protection from moisture, that treatment reduces crack formation. Thanks to a specific fastening adaptor, forces arising from the modular attachment parts are directly derived into the posts. Tamper-proof connections thanks to protective screw caps.


play equipment

item number

Climbing combination

021185704
<https://kaiser-kuehne.com/products/?lang=en>

product data



(without scale)

installation

play equipment [m]	l	5,46
	w	3,76
	h	2,33
minimum space [m]	l	9,41
	w	7,35
	h	2,33
impact area [m²]		52,00
free height of fall [m]		2,22
number of mechanics		2
assembly time [hrs]		7
lifting device		no
single weight [kg]		80
total weight [kg]		615

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
0,40	0,40	0,40	0,064	12
0,30	0,30	0,40	0,036	1
0,75	0,40	0,40	0,120	1
			0,924	14

usage

areas of use	public playgrounds
activities	sliding motion activity climbing
age groups	4+
number of users	22
slide heights [m]	0,90
platform heights	0,80
inclusion	Meeting opportunity Individual games Functional play Group games Coordination Drama play Exploratory game Speed Altitude experience Parallel play

play equipment
item number

Climbing combination

021185704

variants

16685 *Classic*



16686 *Pirate*



25508 *Aloha*



25509 *Beach*



25510 *Coral*



25511 *Ice Palace*



25512 *Jungle*



25513 *Mermaid*



25514 *Nature*



25515 *Ocean*



25516 *Safari*



25517 *Sunny Day*



25518 *Sweden*



38877

