


play equipment **Actio 237**
item number **027237001**

product description (page 1)



Arc 90°

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

Arc 75°

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

Big Tornado

- welded, helical construction from stainless steel with a knurled platform
- tamper-proof, dirt-protected top and bottom roller bearings
- anchoring by means of a concrete-cast foundation anchor from hot-dip galvanised steel
- top: screw-type connection to Actio structural element
- bottom: anchoring by means of a concrete-cast foundation anchor from hot-dip galvanised steel

Climbing Wall

- climbing wall made from a coloured highly weather-resistant HPL panel (20 mm thickness), with free climbing elements fitted to both sides
- top: screw-type connection to Actio structural element by means of an aluminium clamp (powder coating on choice, according to RAL colour chart) and a welded construction from stainless steel tubes Ø 38
- bottom: embedding in cast-in-place concrete

Climbing Pipe

- welded construction from a stainless steel tube Ø 38 mm with three stainless steel balls Ø150 mm
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Actio panel

- coloured highly weather-resistant HPL panel (20 mm thickness) including labelling "Actio", red similar to RAL 2002
- connection by means of clamps from aluminium (powder coating on choice, according to RAL colour chart)

play equipment **Actio 237**
item number **027237001**

product description (page 2)


Bow Ladder

- welded, helical construction from stainless steel tubes Ø 38 mm
- bow-shaped, skewed ladder
- top: screw-type connection to Actio structural element by means of aluminium clamps (powder coating on choice, according to RAL colour chart)
- bottom: embedding in cast-in-place concrete

play equipment

Actio 237

item number

027237001
<https://kaiser-kuehne.com/products/?lang=en>
product data


(without scale)

installation

play equipment [m]	l	4,23
	w	2,31
	h	2,93

minimum space [m]	l	7,90
	w	5,33
	h	2,93

impact area [m²]	33,00
free height of fall [m]	2,86

number of mechanics	2
assembly time [hrs]	4

lifting device	no
single weight [kg]	67
total weight [kg]	305

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,70	1,00	0,50	0,850	1
0,90	0,40	0,50	0,180	1
0,60	0,60	0,50	0,180	3
			1,570	5

usage

areas of use	public playgrounds	
activities	climbing	motion activity
age groups	5+	
number of users	10	

inclusion	Functional play	Speed
	Balancing	Group games
	Altitude experience	Coordination
	Parallel play	

play equipment
item number

Actio 237
027237001

variants

16852 *Classic*



16853 *Sunny Day*



26647 *Aloha*



26648 *Beach*



26649 *City*



26650 *Coral*



26651 *Ice Palace*



26652 *Jungle*



26653 *Mermaid*



26654 *Nature*



26655 *Ocean*



26656 *Pirate*



26657 *Safari*



26658 *Sky*



26659 *Sun*



play equipment

Actio 237

item number

027237001

variants

26660 *Sweden*

