

play equipment

Actio 307

item number

027307001

product description (page 1)



Arc 90°

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

Monkey Slide

- welded construction from stainless steel tubes Ø 42,4 mm, screw-type construction to some extent
- ball-shaped climb up elements made from stainless steel
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Monkey Rings

- combination of rings made from stainless steel tubes Ø 38 mm
- 1x flat/1x spatially twisted
- 7 mm stainless steel chain suspension and connection and universal joint
- independantly rotatable
- top: screw-type connection to Actio structural element
- bottom: deflection limited by a chain with a screw-type ground connection to a concrete-cast foundation anchor

Climbing Wall

- climbing wall made from a coloured highly weather-resistant HPL panel (20 mm thickness), with free climbing elements fitted to both sides
- top: screw-type connection to Actio structural element by means of an aluminium clamp (powder coating on choice, according to RAL colour chart) and a welded construction from stainless steel tubes Ø 38
- bottom: embedding in cast-in-place concrete

Climbing Pipe

- welded construction from a stainless steel tube Ø 38 mm with three stainless steel balls Ø150 mm
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

play equipment

Actio 307

item number

027307001**product description** (page 2)Wobble Disc

- welded construction from stainless steel tubes Ø 60,3 mm with 6 mm chains
- slip resistant platform made from EPDM
- top: screw-type connection to Actio structural element by means of aluminium clamps (powder coating on choice, according to RAL colour chart)

Actio panel

- coloured highly weather-resistant HPL panel (20 mm thickness) including labelling "Actio".
- Connection by means of clamps from aluminium (powder coating on choice, according to RAL colour chart)


Bow Ladder

- welded, helical construction from stainless steel tubes Ø 38 mm
- bow-shaped, skewed ladder
- top: screw-type connection to Actio structural element by means of aluminium clamps (powder coating on choice, according to RAL colour chart)
- bottom: embedding in cast-in-place concrete

play equipment

Actio 307
027307001

item number

<https://kaiser-kuehne.com/products/?lang=en>
product data


(without scale)

installation

play equipment [m]	l	7,08
	w	5,44
	h	2,93
minimum space [m]	l	10,47
	w	8,19
	h	2,93
impact area [m²]		53,00
free height of fall [m]		2,86
number of mechanics		3
assembly time [hrs]		5
lifting device		no
single weight [kg]		67
total weight [kg]		498

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,30	0,50	0,50	0,325	3
0,90	0,40	0,50	0,180	2
0,60	0,60	0,50	0,180	5
			2,235	10

usage

areas of use	public playgrounds
activities	sliding motion activity climbing
age groups	5+
number of users	16

inclusion

Meeting opportunity	Individual games
Functional play	Speed
Balancing	Group games
Altitude experience	Coordination
Parallel play	

play equipment
item number

Actio 307
027307001

variants

16888 *Classic*



16889 *Ice Palace*



26900 *Aloha*



26901 *Beach*



26902 *City*



26903 *Coral*



26904 *Jungle*



26905 *Mermaid*



26906 *Nature*



26907 *Ocean*



26908 *Pirate*



26909 *Safari*



26910 *Sky*



26911 *Sun*



26912 *Sunny Day*



play equipment

Actio 307

item number

027307001

variants

26913 *Sweden*

