


play equipment      **Actio 315**  
item number        **027315001**

**product description**      (page 1)



Arc 90°

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

Climbing Wall

- climbing wall made from a coloured highly weather-resistant HPL panel (20 mm thickness), with free climbing elements fitted to both sides
- top: screw-type connection to Actio structural element by means of an aluminium clamp (powder coating on choice, according to RAL colour chart) and a welded construction from stainless steel tubes Ø 38
- bottom: embedding in cast-in-place concrete

Climbing Pipe

- welded construction from a stainless steel tube Ø 38 mm with three stainless steel balls Ø150 mm
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Monkey Slide

- welded construction from stainless steel tubes Ø 42,4 mm, screw-type construction to some extent
- ball-shaped climb up elements made from stainless steel
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Spring Slide

- welded construction from stainless steel tubes Ø 42,4 mm
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Wobble Disc

- welded construction from stainless steel tubes Ø 60,3 mm with 6 mm chains
- slip resistant platform made from EPDM

play equipment      **Actio 315**  
item number        **027315001**

**product description**      (page 2)

- top: screw-type connection to Actio structural element by means of aluminium clamps (powder coating on choice, according to RAL colour chart)

Actio panel

- coloured highly weather-resistant HPL panel (20 mm thickness) including labelling "Actio"
- connection by means of clamps from aluminium (powder coating on choice, according to RAL colour chart)


Bow Ladder

- welded, helical construction from stainless steel tubes Ø 38 mm
- bow-shaped, skewed ladder
- top: screw-type connection to Actio structural element by means of aluminium clamps (powder coating on choice, according to RAL colour chart)
- bottom: embedding in cast-in-place concrete

play equipment

**Actio 315**

item number

**027315001**
<https://kaiser-kuehne.com/products/?lang=en>
**product data**


(without scale)

**installation**

play equipment [m]	l	6,98
	w	5,32
	h	2,93
minimum space [m]	l	10,47
	w	8,99
	h	2,93
impact area [m²]		64,00
free height of fall [m]		2,86
number of mechanics		3
assembly time [hrs]		5
lifting device		no
single weight [kg]		67
total weight [kg]		571

**foundations**

l [m]	w [m]	h [m]	vol [m³]	qty
1,30	0,50	0,50	0,325	3
0,90	0,40	0,50	0,180	3
0,60	0,60	0,50	0,180	5
			2,415	11

**usage**

areas of use	public playgrounds
activities	sliding motion activity climbing social activity
age groups	5+
number of users	19

**inclusion**

Meeting opportunity		Drama play	
Individual games		Functional play	
Speed		Group games	
Altitude experience		Coordination	
Parallel play			

play equipment  
item number

**Actio 315**  
**027315001**

**variants**

16907 *Classic*



26943 *Aloha*



26944 *Beach*



26945 *City*



26946 *Coral*



26947 *Ice Palace*



26948 *Jungle*



26949 *Mermaid*



26950 *Nature*



26951 *Ocean*



26952 *Pirate*



26953 *Safari*



26954 *Sky*



26955 *Sun*



26956 *Sunny Day*



play equipment

**Actio 315**

item number

**027315001**

**variants**

26957 *Sweden*

