

play equipment

Actio 319

item number

027319001

product description (page 1)



Arc 75°

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

Arc 90°

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

Chill Wall

- climbing wall made from a coloured highly weather-resistant HPL panel (20 mm thickness)
- top: screw-type connection to Actio structural element by means of an aluminium clamp (powder coating on choice, according to RAL colour chart) and a welded construction from stainless steel tubes Ø 38
- bottom: embedding in cast-in-place concrete

Climbing Pipe

- welded construction from a stainless steel tube Ø 38 mm with three stainless steel balls Ø150 mm
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Resting Point

- climbing wall made from a coloured highly weather-resistant HPL panel (20 mm thickness), with free climbing elements fitted to one side, framed in a tubular stainless steel construction Ø38
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Spring Slide

- welded construction from stainless steel tubes Ø 42,4 mm
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

play equipment

Actio 319

item number

027319001**product description** (page 2)Wobble Disc

- welded construction from stainless steel tubes Ø 60,3 mm with 6 mm chains
- slip resistant platform made from EPDM
- top: screw-type connection to Actio structural element by means of aluminium clamps (powder coating on choice, according to RAL colour chart)

Flying handle

- flying ring with rubberised gripping surface and 6 mm chain
- top: screw-type connection to Actio structural element by means of an aluminium clamp (powder coating on choice, according to RAL colour chart)


Actio panel

- coloured highly weather-resistant HPL panel (20 mm thickness) including labelling "Actio", red similar to RAL 2002
- connection by means of clamps from aluminium (powder coating on choice, according to RAL colour chart)

play equipment

Actio 319

item number

027319001
<https://kaiser-kuehne.com/products/?lang=en>
product data


(without scale)

installation

play equipment [m]	l	4,10
	w	4,79
	h	2,93
minimum space [m]	l	8,30
	w	8,84
	h	2,93
impact area [m²]		54,00
free height of fall [m]		2,86
number of mechanics		3
assembly time [hrs]		5
lifting device		no
single weight [kg]		67
total weight [kg]		552

foundations

l [m]	w [m]	h [m]	vol [m³]	qty
1,30	0,50	0,50	0,325	3
0,60	0,60	0,50	0,180	4
			1,695	7

usage

areas of use	public playgrounds	
activities	sliding	climbing
	motion activity	social activity
age groups	6+	
number of users	16	

inclusion

Meeting opportunity		Drama play	
Individual games		Functional play	
Speed		Group games	
Altitude experience		Coordination	
Parallel play			

play equipment
item number

Actio 319
027319001

variants

16908 *Classic*



26958 *Aloha*



26959 *Beach*



26960 *City*



26961 *Coral*



26962 *Ice Palace*



26963 *Jungle*



26964 *Mermaid*



26965 *Nature*



26966 *Ocean*



26967 *Pirate*



26968 *Safari*



26969 *Sky*



26970 *Sun*



26971 *Sunny Day*



play equipment

Actio 319

item number

027319001

variants

