


play equipment

**Actio 401**

item number

**027401001**

**product description** (page 1)



#### Arc 75°

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

#### Arc 90°

- bent tube from hot-dip galvanised steel, Ø 114 x 3,6 mm (powder coating on choice, according to RAL colour chart)
- sphere from aluminium, Ø 250 mm, powder coating on choice, according to RAL colour chart (see below-mentioned positions)

#### Big Tornado

- welded, helical construction from stainless steel with a knurled platform
- tamper-proof, dirt-protected top and bottom roller bearings
- anchoring by means of a concrete-cast foundation anchor from hot-dip galvanised steel
- top: screw-type connection to Actio structural element
- bottom: anchoring by means of a concrete-cast foundation anchor from hot-dip galvanised steel

#### Chill Wall

- climbing wall made from a coloured highly weather-resistant HPL panel (20 mm thickness)
- top: screw-type connection to Actio structural element by means of an aluminium clamp (powder coating on choice, according to RAL colour chart) and a welded construction from stainless steel tubes Ø 38
- bottom: embedding in cast-in-place concrete

#### Climbing Pipe

- welded construction from a stainless steel tube Ø 38 mm with three stainless steel balls Ø150 mm
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

#### Monkey Rings

- combination of rings made from stainless steel tubes Ø 38 mm
- 1x flat/1x spatially twisted
- 7 mm stainless steel chain suspension and connection and universal joint

play equipment

**Actio 401**

item number

**027401001****product description** (page 2)

- independantly rotatable
- top: screw-type connection to Actio structural element
- bottom: deflection limited by a chain with a screw-type ground connection to a concrete-cast foundation anchor

Monkey Slide

- welded construction from stainless steel tubes Ø 42,4 mm, screw-type construction to some extent
- ball-shaped climb up elements made from stainless steel
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Spring Slide

- welded construction from stainless steel tubes Ø 42,4 mm
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Climbing Wall

- climbing wall made from a coloured highly weather-resistant HPL panel (20 mm thickness), with free climbing elements fitted to both sides
- top: screw-type connection to Actio structural element by means of an aluminium clamp (powder coating on choice, according to RAL colour chart) and a welded construction from stainless steel tubes Ø 38
- bottom: embedding in cast-in-place concrete

Climbing Pipe

- welded construction from a stainless steel tube Ø 38 mm with three stainless steel balls Ø150 mm
- top: screw-type connection to Actio structural element
- bottom: embedding in cast-in-place concrete

Meeting Point

- welded construction from stainless steel tubes Ø 60,3 mm with a Hercules cross joint from Ø16 mm rope with 6-stranded steel core
- top: screw-type connection to Actio structural element by means of aluminium clamps (powder coating on choice, according to RAL colour chart)

Wobble Disc

- welded construction from stainless steel tubes Ø 60,3 mm with 6 mm chains
- slip resistant platform made from EPDM
- top: screw-type connection to Actio structural element by means of aluminium clamps (powder coating on choice, according to RAL colour chart)


Actio panel

- coloured highly weather-resistant HPL panel (20 mm thickness) including labelling "Actio".
- connection by means of clamps from aluminium (powder coating on choice, according to RAL colour chart)

play equipment

**Actio 401**

item number

**027401001**
<https://kaiser-kuehne.com/products/?lang=en>
**product data**


(without scale)

**installation**

play equipment [m]	l	9,15
	w	7,00
	h	2,93
minimum space [m]	l	12,30
	w	10,47
	h	2,93
impact area [m²]		87,00
free height of fall [m]		2,86
number of mechanics		3
assembly time [hrs]		7
lifting device		no
single weight [kg]		67
total weight [kg]		980

**foundations**

l [m]	w [m]	h [m]	vol [m³]	qty
1,30	0,50	0,50	0,325	3
1,80	0,50	0,50	0,450	1
0,90	0,40	0,50	0,180	1
0,60	0,60	0,50	0,180	7
			2,865	12

**usage**

areas of use	public playgrounds	
activities	sliding	climbing
	motion activity	social activity
age groups	6+	
number of users	25	

**inclusion**


Meeting opportunity		Drama play	
Individual games		Functional play	
Speed		Balancing	
Group games		Altitude experience	
Communication		Coordination	
Parallel play			

play equipment  
item number

**Actio 401**  
**027401001**

**variants**

16912 *Classic*



27029 *Aloha*



27030 *Beach*



27031 *City*



27032 *Coral*



27033 *Ice Palace*



27034 *Jungle*



27035 *Mermaid*



27036 *Nature*



27037 *Ocean*



27038 *Pirate*



27039 *Safari*



27040 *Sky*



27041 *Sun*



27042 *Sunny Day*



play equipment

**Actio 401**

item number

**027401001**

**variants**

27043 *Sweden*

